

Product Benefit Sheet

Revised: 2015/09/04 (version 1.0)



PETRONAS Syntium Racer 10W-60

Designed for Ultimate-Performance in sports driving

Description and Applications

PETRONAS Syntium Racer 10W-60 is formulated specially for engines running under extreme operating conditions on race track and on road. It is formulated with fully synthetic and advance additive systems to provide ultimate engine power & performance ideal for sports driving conditions.

PETRONAS Syntium Racer 10W-60 is suitable for all types of high-powered racing engines, passenger cars including gasoline and diesel engines and latest high performance cars fitted with fuel injections, multi-valves, turbochargers or superchargers operating under most severe conditions.

The experience gathered by PETRONAS on the F1 circuits and most important motoring events and competitions has enabled the development of PETRONAS Syntium; a range of hi-tech lubricants capable of meeting the needs of new generation engines – both on track and on the road.

Note: Always consult your owner's manual to check recommended viscosity grade and specifications for your particular vehicle

Features and Benefits

Delivers:

- Ultimate power output & performance
- Excellent protection in all extreme driving conditions
- Effective in up keeping engine cleanliness
- Maintaining oil pressure at high speeds
- Excellent start-up under the most extreme conditions, allowing fast response and acceleration

Specifications and Approvals

PETRONAS Syntium Racer 10W-60 is a fully synthetic lubricants that meets and exceeds below performances:-

Meets or Exceeds the requirements of:	
API SL/ CF	√
ACEA A3/B4	√

* All technical data is provided for reference only.

Health, Safety and Environment

This product is unlikely to present any significant health and safety hazards when used in the recommended application. Avoid contact with skin. Wash immediately with soap and water after skin contact. Do not discharge into drains, soil or water.

For further detail regarding storage, safe handling, and disposal of product, please refers to product SDS or contact us at: www.pli-petronas.com

Important Note

The word PETRONAS, the PETRONAS logo and such other related trademarks and/or marks used herein are trademarks or registered trademarks of PETRONAS Lubricants International Sdn. Bhd. ("PLISB"), or its subsidiaries or related Holding Corporation under license unless indicated otherwise. The data sheet and the information contains herein is believed to be accurate as of the date of printing. PLISB makes no express or implied representation or warranties as to its accuracy or completeness or information in or any transaction performed. The PLI Documents information provided is based on standard tests under laboratory conditions and is given only as a guide. Users are advised to ensure that they refer to the latest version of these PLI Documents. It is the responsibility of the users to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations imposed by the respective local authorities.

Safety Data Sheets are available for all our products and should be only be consulted for appropriate information regarding storage, safe handling and disposal of the product. No responsibility shall be taken by either PLISB or its subsidiaries and related holding corporation for any loss or injury or any direct, indirect, special, exemplary, consequential damages or any damages whatsoever, whether in action of contract, negligence or other tortuous action, in connection or resulting from abnormal use of the materials and/or information, from any failure to adhere to recommendations, or from hazards inherent in the nature of the materials and/or information. All products, services and information supplied are under our standard conditions of sale. Please consult with any of our local representative in the event you require any further information.

Code: 1808